SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTIFIER: PRODUCT USE:	AH-41 Abrasive media intended for use with metals in wet abrasive applications only.
MANUFACTURER	Mass Finishing, Inc. 1060 Commerce Blvd.
CONTACT INFORMATION: Internet Telephone Information Fax 24 HOUR EMERGENCY	Howard Lake, MN 55349 <u>www.massfin.com</u> (320) 543-3222 (888) 260-6277 (320) 543-3355 (734) 260-1000
E-mail	sales@massfin.com

SECTION 2: HAZARD IDENTIFICATION

United States (US) According to OHSA 29 CFR 1910.1200 HCS

Classification of the Substance or MixtureSIGNAL WORDWARNING!HazardDust particlesPictogramcause abrasiv

Dust particles may cause eye and respiratory irritation. Dust particles may cause abrasive injury to the eyes.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component	CAS Number	%
Magnesium Aluminum	1302-88-1	60-90
Silicate		
Aluminum Oxide	1344-28-1	1-20

GHS SAFETY DATA SHEET AH-41 Date Prepared: 4 June 2015

SECTION 4: FIRST AID MEASURES

Gross Inhalation of Dust	Remove to fresh air; give oxygen or artificial respirationif necessary. Seek immediate medical attention.
Skin Contact	Wash skin thoroughly with soap and water.
Eye Contact	Remove contact lenses if worn. Flush eyes thoroughly with large amounts of running water. If irritation persists, seek medical attention.
Ingestion	Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.

SECTION 5: FIREFIGHTING MEASURES

Suitable Extinguishing Media	This product does not burn. Use any media that is appropriate for the surrounding fire.
Special Firefighting Procedures	None needed
Unusual Fire and Explosion Hazards	This product does not burn. However, consideration must be given to the potential fire/explosion hazards from the base material being processed. Many materials create flammable/explosive dusts or turnings when sanded, machined or ground.
Hazardous Combustion Products	None known.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions	Wear gloves as required per job and SafetyGlasses or Goggles for eye protection.
Environmental Precautions	Knock down dust with water spray.
Methods for Clean Up	Clean up excess material with broom and shovel to avoid a possible slipping hazard.
Materials NOT to be used for Clean up	Do not use compressed air for clean up.
Reference to other sections	Personal protective equipment: See Section 8. Disposal considerations: See Section 13.

SECTION 7: HANDLING AND STORAGE

Handling:

Use only with adequate ventilation. Avoid breathing dust. Wash thoroughly after handling and use, especially before eating, drinking or smoking.

Storage:

Store in a dry location.

	Exposure Guidelines				
Hazardous C	Component	OSHA PEL	ACGIH TLV		
Magnesium A	Aluminum Silicate	N/A	N/A		
Aluminum Ox	xide	15mg/m ^{3 (total dust)}	1 mg/m ³ (respirable) (as Al metal)		
Engineering Controls:		Process enclosures, local exhaust or other engineering process controls may be necessary to keep any air contaminants associated with this product within their TLV'S. This is particularly true if user operation generates dust.			
Respiratory 1	Protection:	have an established limit for airl Furthermore, if this material is u should have limited potential to require respiratory protection. T circumstances and then determin respiratory protection program t OSHA 1910.134. If workplace of use MSHA/ NIOSH approved u	he what is required to establish a hat meets their requirements, within conditions warrant respiratory protection, nits as listed in the current 29 CFR ions. Actual respirator selection should		
	Protective Gloves:	Optional as needed to prevent sl	kin contact.		
0	Eye Protection:	Industrial safety glasses with sic	le shields.		
Other Protec Equipment:	ctive Clothing or	associated with product. If cloth laundered before wearing again. parts of the body not otherwise	direct exposure to product or dusts ing becomes contaminated, it should be Barrier skin creams may be applied to protected if worker find this beneficial. ap and water before eating or drinking.		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: Not Applicable **Solubility in Water:** Insoluble

Vapor Pressure (mm Hg): Not Applicable Vapor Density (Air = 1): Not Applicable

Specific Gravity (H₂O = 1): 3.01

Melting Point: Approx. $2,400^{\circ}$ F

Flammable Limits: LEL: Not Applicable **Evaporation Rate (Butyl Acetate = 1):** Not Applicable

Flash Point: Not Applicable

UEL: Not Applicable

Appearance and Odor: White ceramic stones, odorless.

SECTION 10: STABILITY AND REACTIVITY

Stability:StalIncompatibility (Materials to Avoid):NonHazardous Decomposition or Byproducts:NonHazardous Polymerization:Will

Stable under normal storage and use conditions None known Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects This product and its components are not acutely toxic.

Routes of Entry: Inhalation D Skin D Ingestion D

Health Hazards:Avoid breathing dust. Inhalation of dust may cause irritation of the nose, throat and
respiratory passages. Long term exposure may cause severe and permanent damage
to the lungs.Signs and Symptoms of
Exposure:Overexposure to nuisance dusts may cause mucous membrane and respiratory
irritation, eye irritation, cough, sore throat, nasal congestion, sneezing, and/or
shortness of breath.Medical Conditions
Generally Aggravated by
Exposure:Individuals with pulmonary and/or respiratory disease, including but not limited to
asthma and bronchitis or subject to eye irritation, should be precluded from exposure
to dust.

SECTION 12: ECOLOGICAL INFORMATION

No ecological information is available for this product. No hazards to the environment are expected from this product. However, consideration must be given to potential environmental effects of the base material being processed.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable local, state/provincial, and federal regulations. Local regulations may be more stringent than regional and national requirements. It is the responsibility of the waste generator to determine the toxicity and physical characteristics of the material to determine the proper waste identification and disposal in compliance with applicable regulations.

SECTION 14: TRANSPORTATION INFORMATION

DOT HAZARDOUS MATERIALS DESCRIPTION

Proper Shipping Name UN Number Hazard Class / Packing Group Labels Required Not Regulated None None None

SECTION 15: REGULATORY INFORMATION

SARA Section 311/312 Hazard Categories US Inventory (TSCA 8b) CALIFORNIA PROPOSITION 65: None of the ingredients are listed. All components are listed or exempted. None of the ingredients are listed.

SECTION 16: OTHER INFORMATION

HMIS Ratings: Health = Flammability = Reactivity = Personal Protection = A (Safety Glasses)

This Safety Data Sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200). Information provided is based upon data believed to be correct, however, no warranty or guarantee, expressed or implied, is made regarding such information.