

Page: 1 of 5 Printed: 06/17/2014 Revision: 06/17/2014

Supersedes Revision: 05/01/2007

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: VFXV1

Product Name: VF-XV1 Plastic Media

Company Name: Vibra Finish Co. Phone Number:

8411 Seward Road +1 (800)253-1941

Hamilton, OH 45011

Web site address: www.vibrafinish.com

Emergency Contact: Chemtrec +1 (800)424-9300

Product Category: Filled polymer

2. HAZARDS IDENTIFICATION

GHS Signal Word:

GHS Hazard Phrases: No phrases apply.

GHS Precaution Phrases: P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

GHS Response Phrases: P314 - Get medical attention/advice if you feel unwell.

GHS Storage and Disposal P501 - Dispose of contents/containers in accordance with

Phrases: local/regional/national/international regulations.

Flammability

Hazard Rating System:

Health

NFPA: Special Hazard

Potential Health Effects

(Acute and Chronic):

No hazard expected in normal industrial use. This material, as supplied, is significantly larger than 3-4 um and does not pose as respiration hazard unless the material is used

Instability

in a manner that generates a dust. This material should not be used dry.

Inhalation: This product should not be used dry. Airborne concentrations of dusts or mists may

cause irritation to the upper respiratory tract and lungs. Respirable crystalline silica is an

IARC and NTP probable carcinogen based on animal studies.

Skin Contact: Handling this material with bare hands can cause abrasions.

Eye Contact: It is possible for small fragments of this material or the work piece to be propelled from

the work area and strike the eye.

Ingestion: Not a likely route of exposure. May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS # Hazardous Components (Chemical Name) Concentration

 14808-60-7
 Crystalline Silica
 60 - 70 %

 1344-28-1
 Aluminum oxide
 5.0 - 10 %

Additional Composition

Information

This product composition information is provided in the unlikely event that a dust is generated during the use of this product. In the material as supplied, these components are not readily available to create a respiration hazard.

GHS format



Page: 2 of 5 Printed: 06/17/2014 Revision: 06/17/2014

Supersedes Revision: 05/01/2007

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

None that are directly attributable to normal use of this material.

In Case of Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In Case of Skin Contact: Wash off with soap and plenty of water. Get medical aid if irritation develops and

persists.

In Case of Eye Contact: Flush eyes with water as a precaution. If eye irritation persists, get medical

advice/attention.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician.

Signs and Symptoms Of

Exposure:

The chronic health risks are associated with respirable particles of 3-4 um over

protracted periods of time. This material, as supplied, is significantly larger than 3-4 um and does not pose as respiration hazard unless the material is used in a manner that

generates a dust. This material should not be used dry.

Note to Physician: Treat symptomatically and supportively. Show this safety data sheet to the doctor in

attendance.

5. FIRE FIGHTING MEASURES

Flash Pt: NA Method Used: Estimate

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: NA

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or appropriate foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Fire Fighting Instructions: This material may burn when exposed to a fire situation. As in any fire, wear a

self-contained breathing apparatus in pressure-demand, MSHA/NIOSH approved (or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be

generated by thermal decomposition or combustion.

Flammable Properties and

Hazards:

Fire conditions can result in the formation of carbon monoxide and carbon dioxide, and

oxides of: aluminum.

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures: Use proper personal protective equipment as indicated in Section 8.

Environmental Precautions: Do not let product enter storm drains, storm sewers, watersheds or water systems

unless authorized.

Steps To Be Taken In Case Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section 8. Avoid dust

formation. Avoid breathing dust. Collect for reuse or disposal if contaminated with foreign matter.

7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Do not ingest or inhale. Provide appropriate exhaust ventilation at places where dust is formed. This product should not be used dry. Material is heavy, use proper lifting techniques.

Precautions To Be Taken in

Storing:

Store in a dry place. Store in well-ventilated place.

Other Precautions: Keep out of reach of children. Handle in accordance with good industrial hygiene and

safety practices.



Page: 3 of 5 Printed: 06/17/2014 Revision: 06/17/2014

Supersedes Revision: 05/01/2007

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Other Limits CAS# **Partial Chemical Name OSHA TWA ACGIH TWA** PEL: 8825 ppm/(%SiO2+5) TLV: 0.05 mg/m3 (R) No data. 14808-60-7 Crystalline Silica PEL: 15 (dust); 5 (resp.) TLV: 10 mg/m3 (E) No data. 1344-28-1 Aluminum oxide mg/m3

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA approved respirator where dust may be generated.

Eye Protection: Safety glasses. **Protective Gloves:** Handle with gloves.

Other Protective Clothing: Not required under normal use conditions.

Engineering Controls

Good general ventilation should be sufficient to control airborne levels. Facilities storing

(Ventilation etc.): or utilizing this material should be equipped with an eyewash facility.

Work/Hygienic/Maintenance Handle in accordance with good industrial hygiene and safety practice. Wash hands

Practices: before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [] Liquid [X] Solid

Appearance and Odor: Appearance: Brown. Solid. Varying size and shape.

Odor: Slight characteristic.

Melting Point: NA
Boiling Point: NA
Autoignition Pt: NA

Flash Pt: NA Method Used: Estimate

NA

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): NA

Density: NA

Bulk density: 65 - 70 LB/CF

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): NA Evaporation Rate: NA

Solubility in Water: Negligible

Saturated Vapor NA

Concentration:

Viscosity:NApH:NAPercent Volatile:No data.



Page: 4 of 5 Printed: 06/17/2014 Revision: 06/17/2014

Supersedes Revision: 05/01/2007

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]

Conditions To Avoid -

Instability:

None known.

Incompatibility - Materials To Hydrogen fluoride.

Avoid:

Hazardous Decomposition Or Fire conditions can result in the formation of carbon monoxide and carbon dioxide, and

oxides of: aluminum. Byproducts:

Possibility of Hazardous

Reactions:

Will occur []

Will not occur [X]

Conditions To Avoid -

No data available.

Hazardous Reactions:

11. TOXICOLOGICAL INFORMATION

Epidemiology: No information available. **Toxicological Information:**

> Teratogenicity: No information available. Reproductive Effects: No information available.

Mutagenicity: No information available. Neurotoxicity: No information available.

Other Studies: CAS# 14808-60-7:

Acute toxicity, TCLo, Inhalation, Rat, 108 mg/m3, 6D.

Irritation or Corrosion:

Carcinogenicity/Other

Information:

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

Respirable crystalline silica is an IARC and NTP probable carcinogen based on animal studies. Additional studies are needed to determine whether the cell transforming activity

of quartz is related to its carcinogenic potential.

NTP? No IARC Monographs? No Carcinogenicity: OSHA Regulated? No

12. ECOLOGICAL INFORMATION

Environmental: No information available. General Ecological

Information: Physical: No information available.

Results of PBT and vPvB

assessment:

No data available.

No data available.

Persistence and

Degradability:

No data available.

No data available. **Bioaccumulative Potential:** No data available. **Mobility in Soil:**

13. DISPOSAL CONSIDERATIONS

Chemical waste generators must determine whether a discarded chemical is classified **Waste Disposal Method:**

as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local

hazardous waste regulations to ensure complete and accurate classification. Observe all

federal, state, and local environmental regulations.



Page: 5 of 5 Printed: 06/17/2014 Revision: 06/17/2014

Supersedes Revision: 05/01/2007

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class: UN/NA Number:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

14808-60-7Crystalline SilicaNoNoNo1344-28-1Aluminum oxideNoNoYes

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

14808-60-7 Crystalline Silica TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8:

No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 1660; NY Part 597: No; PA HSL: Yes - 1; SC

TAP: No; WI Air: No

1344-28-1 Aluminum oxide TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8:

No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 2891; NY Part 597: No; PA HSL: Yes - E; SC

TAP: No; WI Air: No

16. OTHER INFORMATION

Revision Date: 06/17/2014

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Vibra Finish company cannot anticipate all conditions which this information and our products, or the products of other manufacturers in combination with our products may be used. We accept no responsibility for results obtained by the application of this information, either alone or in combination with other products. Users are advised to make their own tests to determine the safety and suitability of each such product or product combination for their own purposes. Unless otherwise agreed in writing, buyers and users assume all responsibility and liability for loss or damage arising from the handling and use of our products, whether alone or in combination with other products.