

1.	PRODUCT AND COM	IPANY IDENTIFICATION		
Product Code:	VFSV			
Product Name:	VF-SV Synthetic Media			
Company Name:	Vibra Finish Co.	Phone Number:		
	8411 Seward Road	+1 (800)253-1941		
	Hamilton, OH 45011			
Web site address:	www.vibrafinish.com			
Emergency Contact:	Chemtrec	+1 (800)424-9300		
Product Category:	Filled polymer			
	2. HAZARDS II	DENTIFICATION		
GHS Signal Word:				
GHS Hazard Phrases:	No phrases apply.			
GHS Precaution Phrases:	P260 - Do not breathe dust/fume/gas/mist/vapors/spray.			
	P264 - Wash hands thoroughly after handling.			
	P270 - Do not eat, drink or s	moke when using this product.		
GHS Response Phrases:	P314 - Get medical attention/advice if you feel unwell.			
GHS Storage and Disposal	P501 - Dispose of contents/containers in accordance with			
Phrases:	local/regional/national/international regulations.			
Hazard Rating System:	Flammability Instability Health			
		NFPA: V Special Hazard		
Potential Health Effects (Acute and Chronic):	No hazard expected in normal industrial use. This material, as supplied, is significantly larger than 3-4 um and does not pose as respiration hazard unless the material is used in a manner that generates a dust. This material should not be used dry.			
Inhalation:	This product should not be used dry. Airborne concentrations of dusts or mists may cause irritation to the upper respiratory tract and lungs. Respirable crystalline silica is an IARC and NTP probable carcinogen based on animal studies.			
Skin Contact:	Handling this material with bare hands can cause abrasions.			
Eye Contact:	It is possible for small fragments of this material or the work piece to be propelled from			
-	the work area and strike the eye.			
Ingestion:	Not a likely route of exposure	e. May be harmful if swallowed.		
3. COMPOSITION/INFORMATION ON INGREDIENTS				
CAS # Hazardous Com	ponents (Chemical Name)	Concentration		
14808-60-7 Crystalline Silica		30 - 40 %		
Additional Composition Information		ormation is provided in the unlikely event that a dust is his product. In the material as supplied, these components eate a respiration hazard.		



4. FIRST AID MEASURES					
Emergency and First Aid Procedures:	None that are directly attributable to normal use of this material.				
In Case of Inhalation:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.				
In Case of Skin Contact:	Wash off with soap and plenty of water. Get medical aid if irritation develops and persists.				
In Case of Eye Contact:	Flush eyes with water as a precaution. If eye irritation persists, get medical advice/attention.				
In Case of Ingestion:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.				
Signs and Symptoms Of Exposure: Note to Physician:	The chronic health risks are associated with respirable particles of 3-4 um over protracted periods of time. This material, as supplied, is significantly larger than 3-4 um and does not pose as respiration hazard unless the material is used in a manner that generates a dust. This material should not be used dry. Treat symptomatically and supportively. Show this safety data sheet to the doctor in				
	attendance.				
	5. FIRE FIGHTING MEASURES				
Flash Pt:	NA Method Used: Estimate				
Explosive Limits:	LEL: No data. UEL: No data.				
Autoignition Pt:	NA				
Suitable Extinguishing Media	a:Use water spray, dry chemical, carbon dioxide, or appropriate foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
Fire Fighting Instructions:	This material may burn when exposed to a fire situation. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH approved (or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.				
Flammable Properties and Hazards:	Fire conditions can result in the formation of carbon monoxide and carbon dioxide, and oxides of: nitrogen.				
	6. ACCIDENTAL RELEASE MEASURES				
Protective Precautions, Protective Equipment and Emergency Procedures:	Use proper personal protective equipment as indicated in Section 8.				
Environmental Precautions:	Do not let product enter storm drains, storm sewers, watersheds or water systems unless authorized.				
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Avoid dust formation. Avoid breathing dust. Collect for reuse or disposal if contaminated with foreign matter.				
	7. HANDLING AND STORAGE				
Precautions To Be Taken in Handling:	Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Do not ingest or inhale. Provide appropriate exhaust ventilation at places where dust is formed. This product should not be used dry. Material is heavy, use proper lifting techniques.				
Precautions To Be Taken in Storing:	Keep container tightly closed in a dry and well-ventilated place.				
Other Precautions:	Keep out of reach of children. Handle in accordance with good industrial hygiene and safety practices.				



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits
14808-60-7	Crystalline Silica		PEL: 8825 ppm/(%SiO2+5)	TLV: 0.05 mg/m3 (R)	No data.
Respiratory (Specify Typ		Use a NIOSH/MSH	A approved respirator whe	re dust may be generate	d.
Eye Protection	on:	Safety glasses.			
Protective G	loves:	Handle with gloves.			
Other Protec	tive Clothing:	Not required under	normal use conditions.		
Engineering	Controls	Good general ventil	ation should be sufficient t	o control airborne levels.	Facilities storing
(Ventilation e	etc.):	or utilizing this mate	erial should be equipped w	ith an eyewash facility.	
Work/Hygien	nic/Maintenance	Handle in accordan	ce with good industrial hyg	iene and safety practice.	Wash hands
Practices:		before breaks and a	at the end of workday.		
	9.	PHYSICAL AN	ND CHEMICAL PR	OPERTIES	
Physical Sta	tes:	[]Gas []Liqu			
Appearance	and Odor:	•••	Green. Solid. Varying size	and shape.	
		Odor: Slight charac	teristic.		
Melting Poin		NA			
Boiling Point		NA			
Autoignition	Pt:	NA NA Mathadulaad			
Flash Pt:		NA Method Used:		data	
Explosive Li		LEL: No data. NA	UEL: No	data.	
Density:	vity (Water = 1):	NA			
Bulk density		55 - 60 LB/CF			
-	ure (vs. Air or	NA			
mm Hg):					
•,	ty (vs. Air = 1):	NA			
Evaporation		NA			
Solubility in		Negligible			
Saturated Va	apor	NA			
Concentratio	on:				
Viscosity:		NA			
pH:		NA			
Percent Vola	tile:	No data.			
10. STABILITY AND REACTIVITY					
Stability:		Unstable [] St	table [X]		
Conditions T Instability:	o Avoid -	None known.			
Incompatibility - Materials To Hydrogen fluoride. Avoid:					
Hazardous Decomposition Or Fire conditions can result in the formation of carbon monoxide and carbon dioxide, and Byproducts: oxides of: nitrogen.					
Possibility of Reactions:		-	Vill not occur [X]		
Conditions T	o Avoid -	No data available.			



Hazardous Reactions:

	11. TOXICOLOGICAL INFORMATION				
Toxicological Information:	Epidemiology: No information available. Teratogenicity: No information available. Reproductive Effects: No information available. Mutagenicity: No information available. Neurotoxicity: No information available.				
Irritation or Corrosion:	Other Studies: CAS# 14808-60-7: Acute toxicity, TCLo, Inhalation, Rat, 108 mg/m3, 6D. No data available.				
Carcinogenicity/Other Information:	OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Respirable crystalline silica is an IARC and NTP probable carcinogen based on animal studies. Additional studies are needed to determine whether the cell transforming activity of quartz is related to its carcinogenic potential.				
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No				
12. ECOLOGICAL INFORMATION					
General Ecological Information:	Environmental: No information available. Physical: No information available.				
Results of PBT and vPvB assessment:	No data available.				
Persistence and Degradability:	No data available.				
Bioaccumulative Potential:	No data available.				
Mobility in Soil:	No data available.				
13. DISPOSAL CONSIDERATIONS					
Waste Disposal Method:	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations.				
	14. TRANSPORT INFORMATION				

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material. DOT Hazard Class: UN/NA Number:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
14808-60-7	Crystalline Silica	No	No	No	
CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists			
14808-60-7	Crystalline Silica	TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8			
		No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No;			
		NJ EHS: Yes - 1	660; NY Part 597: I	No; PA HSL: Yes - 1; SC	



TAP: No; WI Air: No

16. OTHER INFORMATION

Revision Date:

06/19/2014

Additional Information About No data available.

This Product:

Company Policy or Disclaimer:

Vibra Finish company cannot anticipate all conditions which this information and our products, or the products of other manufacturers in combination with our products may be used. We accept no responsibility for results obtained by the application of this information, either alone or in combination with other products. Users are advised to make their own tests to determine the safety and suitability of each such product or product combination for their own purposes. Unless otherwise agreed in writing, buyers and users assume all responsibility and liability for loss or damage arising from the handling and use of our products, whether alone or in combination with other products.