SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTIFIER: PRODUCT USE:	WA-2 Abrasive media intended for use with metals in wet abrasive applications only.
MANUFACTURER	Abrasive Finishing Inc. 11770 Dexter Road Chelsea, Michigan 48118
DIST. INFORMATION:	MASS FINISHING INC.
Telephone Information Fax	(320) 543-3222 sales@massfin.com (320) 543-3355

SECTION 2: HAZARD IDENTIFICATION

United States (US) According to OHSA 29 CFR 1910.1200 HCS

WARNING!

Classification of the Substance or Mixture

SIGNAL WORD Hazard Pictogram

Dust particles may cause eye and respiratory irritation. Dust particles may cause abrasive injury to the eyes.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component	CAS Number	%
Magnesium Aluminum	1302-88-1	60-90
Silicate		
Aluminum Oxide	1344-28-1	1-20

GHS SAFETY DATA SHEET WA-2 Date Prepared: 1 May 2021

SECTION 4: FIRST AID MEASURES

Gross Inhalation of Dust	Remove to fresh air; give oxygen or artificial respiration if necessary. Seek immediate medical attention.
Skin Contact	Wash skin thoroughly with soap and water.
Eye Contact	Remove contact lenses if worn. Flush eyes thoroughly with large amounts of running water. If irritation persists, seek medical attention.
Ingestion	Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.

SECTION 5: FIREFIGHTING MEASURES

Suitable Extinguishing Media	This product does not burn. Use any media that is appropriate for the surrounding fire.
Special Firefighting Procedures	None needed
Unusual Fire and Explosion Hazards	This product does not burn. However, consideration must be given to the potential fire/explosion hazards from the base material being processed. Many materials create flammable/explosive dusts or turnings when sanded, machined or ground.
Hazardous Combustion Products	None known.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions	Wear gloves as required per job and Safety Glasses or Goggles for eye protection.
Environmental Precautions	Knock down dust with water spray.
Methods for Clean Up	Clean up excess material with broom and shovel to avoid a possible slipping hazard.
Materials NOT to be used for Clean up	Do not use compressed air for clean up.
Reference to other sections	Personal protective equipment: See Section 8. Disposal considerations: See Section 13.

SECTION 7: HANDLING AND STORAGE

Use only with adequate ventilation. Avoid breathing dust. Wash thoroughly after handling and use, especially before eating, drinking or smoking.

Storage:

Handling:

Store in a dry location.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure G	uidelines		
Hazardous	Component	OSHA PEL	ACGIH TLV
Magnesium A	Aluminum Silicate	N/A	N/A
Aluminum C	Dxide	15 mg/m ^{3 (total dust)}	1 mg/m ³ (respirable) (as Al metal)
Aluminum Oxide15 mg/m³ (total dust)1 mg/m³ (restEngineering Controls:Process enclosures, local exhaust or other engineering may be necessary to keep any air contaminants asso product within their TLV'S. This is particularly true generates dust.Respiratory Protection:As this product is a proprietary mixture of unique in have an established limit for airborne concentration Furthermore, if this material is used as recommended should have limited potential to expose personnel w require respiratory protection. The user must review circumstances and then determine what is required respiratory protection program that meets their requ OSHA 1910.134. If workplace conditions warrant r use MSHA/ NIOSH approved units as listed in the 1910.134 for the existing conditions. Actual respira be made after consultation with a competent health professional.		r other engineering process controls ontaminants associated with this s particularly true if user operation ature of unique ingredients, it does not ne concentration (PEL or TLV). d as recommended with solution, it pose personnel with dusts that would user must review their own what is required to establish a meets their requirements, within ditions warrant respiratory protection, s as listed in the current 29 CFR us. Actual respirator selection should	
	Protective Gloves:	Optional as needed to prevent skin	contact.
	Eye Protection:	Industrial safety glasses with side s	hields.
Other Prote Equipment:	ctive Clothing or	laundered before wearing again. Ba	ect exposure to product or dusts becomes contaminated, it should be arrier skin creams may be applied to tected if worker find this beneficial.

Work/Hygienic Practices: Wash hands thoroughly with soap and water before eating or drinking.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: Not Applicable Solubility in Water: Insoluble

Vapor Density (Air = 1): Not Applicable

Specific Gravity $(H_2O = 1)$: 3.01

Melting Point: Approx. 2,400⁰ F

Flammable Limits: LEL: Not Applicable Vapor Pressure (mm Hg): Not Applicable

Evaporation Rate (Butyl Acetate = 1): Not Applicable

Flash Point: Not Applicable

UEL: Not Applicable

Appearance and Odor: Dark brown ceramic stones, odorless.

SECTION 10: STABILITY AND REACTIVITY

Stability: Incompatibility (Materials to Avoid): Hazardous Decomposition or Byproducts: **Hazardous Polymerization:**

Stable under normal storage and use conditions None known None known Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects This product and its components are not acutely toxic.

Routes of Entry: Inhalation 🗵 Skin \Box Ingestion \Box

Health Hazards:	Avoid breathing dust. Inhalation of dust may cause irritation of the nose, throat and respiratory passages. Long term exposure may cause severe and permanent damage to the lungs.
Signs and Symptoms of	Overexposure to nuisance dusts may cause mucous membrane and respiratory
Exposure:	irritation, eye irritation, cough, sore throat, nasal congestion, sneezing, and/or shortness of breath.
Medical Conditions	Individuals with pulmonary and/or respiratory disease, including but not limited to
Generally Aggravated by	asthma and bronchitis or subject to eye irritation, should be precluded from exposure
Exposure:	to dust.

SECTION 12: ECOLOGICAL INFORMATION

No ecological information is available for this product. No hazards to the environment are expected from this product. However, consideration must be given to potential environmental effects of the base material being processed.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable local, state/provincial, and federal regulations. Local regulations may be more stringent than regional and national requirements. It is the responsibility of the waste generator to determine the toxicity and physical characteristics of the material to determine the proper waste identification and disposal in compliance with applicable regulations.

SECTION 14: TRANSPORTATION INFORMATION

DOT HAZARDOUS MATERIALS DESCRIPTION		
Proper Shipping Name	Not Regulated	
UN Number	None	
Hazard Class / Packing Group	None	
Labels Required	None	

SECTION 15: REGULATORY INFORMATION

SARA Section 311/312 Hazard Categories US Inventory (TSCA 8b) CALIFORNIA PROPOSITION 65: None of the ingredients are listed. All components are listed or exempted. None of the ingredients are listed.

SECTION 16: OTHER INFORMATION

HMIS Ratings:

Health = 0 Flammability = 0 Reactivity = 0 Personal Protection = A (Safety Glasses)

This Safety Data Sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200). Information provided is based upon data believed to be correct, however, no warranty or guarantee, expressed or implied, is made regarding such information.