GHS SAFETY DATA SHEET

AX-90

Date Prepared: 1 Feb 2023

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTIFIER: AX-90

PRODUCT USE: Abrasive media intended for use with metals in wet abrasive

applications only.

MANUFACTURER Abrasive Finishing Inc.

11770 Dexter Road

Chelsea, Michigan 48118

CONTACT INFORMATION:

Internet www.abrasivefinishing.com

Telephone

Information (734) 475-9111 Fax (734) 475-3300 24 HOUR EMERGENCY 734-260-1000

E-mail info@abrasivefinishing.com

SECTION 2: HAZARD IDENTIFICATION

United States (US) According to OHSA 29 CFR 1910.1200 HCS

Classification of the Substance or Mixture SIGNAL WORD WARNING!

Hazard Dust particles may cause eye and respiratory irritation. Dust particles may

Pictogram cause abrasive injury to the eyes.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component	CAS Number	%
Magnesium Aluminum	1302-88-1	60-90
Silicate		
Aluminum Oxide	1344-28-1	1-20

GHS SAFETY DATA SHEET AX-90

Date Prepared: 1 Feb 2023

SECTION 4: FIRST AID MEASURES

Gross Inhalation of Dust Remove to fresh air; give oxygen or artificial respiration if necessary. Seek

immediate medical attention.

Skin Contact Wash skin thoroughly with soap and water.

Eye Contact Remove contact lenses if worn. Flush eyes thoroughly with large amounts of

running water. If irritation persists, seek medical attention.

Ingestion Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for

medical help immediately.

SECTION 5: FIREFIGHTING MEASURES

Suitable Extinguishing Media This product does not burn. Use any media that is appropriate

for the surrounding fire.

Special Firefighting Procedures None needed

Unusual Fire and Explosion Hazards This product does not burn. However, consideration must be

given to the potential fire/explosion hazards from the base

material being processed. Many materials create

flammable/explosive dusts or turnings when sanded, machined

or ground.

Hazardous Combustion Products None known.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal PrecautionsWear gloves as required per job and Safety Glasses or Goggles

for eye protection.

Environmental Precautions Knock down dust with water spray.

Methods for Clean Up Clean up excess material with broom and shovel to avoid a

possible slipping hazard.

Materials NOT to be used for Clean up

Do not use compressed air for clean up.

Reference to other sections Personal protective equipment: See Section 8.

Disposal considerations: See Section 13.

GHS SAFETY DATA SHEET AX-90

Date Prepared: 1 Feb 2023

SECTION 7: HANDLING AND STORAGE

Handling: Use only with adequate ventilation. Avoid breathing dust.

Wash thoroughly after handling and use, especially before

eating, drinking or smoking.

Storage: Store in a dry location.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Guidelines

Hazardous Component	OSHA PEL	ACGIH TLV
Magnesium Aluminum Silicate	N/A	N/A
Aluminum Oxide	15 mg/m ^{3 (total dust)}	1 mg/m ³ (respirable) (as Al metal)

Engineering Controls: Process enclosures, local exhaust or other engineering process controls

may be necessary to keep any air contaminants associated with this product within their TLV'S. This is particularly true if user operation

generates dust.

Respiratory Protection: As this product is a proprietary mixture of unique ingredients, it does not

have an established limit for airborne concentration (PEL or TLV). Furthermore, if this material is used as recommended with solution, it should have limited potential to expose personnel with dusts that would

require respiratory protection. The user must review their own circumstances and then determine what is required to establish a respiratory protection program that meets their requirements, within OSHA 1910.134. If workplace conditions warrant respiratory protection, use MSHA/ NIOSH approved units as listed in the current 29 CFR

1910.134 for the existing conditions. Actual respirator selection should be made after consultation with a competent health and safety

professional.

profession

Protective Gloves:

Optional as needed to prevent skin contact.

Eye Industrial safety glasses with side shields. **Protection:**

Other Protective Clothing or Equipment:

Wear clothing designed to limit direct exposure to product or dusts associated with product. If clothing becomes contaminated, it should be laundered before wearing again. Barrier skin creams may be applied to parts of the body not otherwise protected if worker find this beneficial.

GHS SAFETY DATA SHEET

AX-90

Date Prepared: 1 Feb 2023

Work/Hygienic Practices: Wash hands thoroughly with soap and water before eating or drinking.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: Not Applicable **Vapor Pressure (mm Hg):** Not Applicable **Solubility in Water:** Insoluble **Vapor Density (Air = 1):** Not Applicable

Specific Gravity ($H_2O = 1$): 3.01 Evaporation Rate (Butyl Acetate = 1): Not Applicable

Melting Point: Approx. 2,400⁰ F **Flash Point:** Not Applicable

Flammable Limits:

LEL: Not Applicable

UEL: Not Applicable

Appearance and Odor: Blue-grey ceramic stones, odorless.

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable under normal storage and use conditions

Incompatibility (Materials to Avoid):None knownHazardous Decomposition or Byproducts:None knownHazardous Polymerization:Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects This product and its components are not acutely toxic.

Routes of Entry: Inhalation ⊠ Skin □ Ingestion □

Health Hazards: Avoid breathing dust. Inhalation of dust may cause irritation of the nose, throat and

respiratory passages. Long term exposure may cause severe and permanent damage

to the lungs.

Signs and Symptoms of

Exposure:

Overexposure to nuisance dusts may cause mucous membrane and respiratory irritation, eye irritation, cough, sore throat, nasal congestion, sneezing, and/or

shortness of breath.

Medical Conditions

Generally Aggravated by

Exposure:

Individuals with pulmonary and/or respiratory disease, including but not limited to asthma and bronchitis or subject to eye irritation, should be precluded from exposure

to dust.

SECTION 12: ECOLOGICAL INFORMATION

No ecological information is available for this product. No hazards to the environment are expected from this

GHS SAFETY DATA SHEET AX-90

Date Prepared: 1 Feb 2023

product. However, consideration must be given to potential environmental effects of the base material being processed.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable local, state/provincial, and federal regulations. Local regulations may be more stringent than regional and national requirements. It is the responsibility of the waste generator to determine the toxicity and physical characteristics of the material to determine the proper waste identification and disposal in compliance with applicable regulations.

SECTION 14: TRANSPORTATION INFORMATION

DOT HAZARDOUS MATERIALS DESCRIPTION

Proper Shipping Name

Not Regulated

UN Number None
Hazard Class / Packing Group None
Labels Required None

SECTION 15: REGULATORY INFORMATION

SARA Section 311/312 Hazard Categories
US Inventory (TSCA 8b)
CALIFORNIA PROPOSITION 65:
None of the ingredients are listed.
None of the ingredients are listed.

SECTION 16: OTHER INFORMATION

HMIS Ratings: Health = 0

Flammability = 0Reactivity = 0

Personal Protection = A (Safety Glasses)

This Safety Data Sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200). Information provided is based upon data believed to be correct, however, no warranty or guarantee, expressed or implied, is made regarding such information.