

MATERIAL SAFETY DATA SHEET

1 . PRODUCT AND COMPANY IDENTIFICATION

Product Name: CERAMIC MEDIA

MSDS Numbers : CS1008

Company Name: CHINA NATIONAL SILK I/E WUXI CORP.,LTD.

Address Head office: 15F.,2288 TAIHU WEST AVENUE WUXI JIANGSU CHINA

TEL: 86-510-82722168(MR.JACKY) FAX: 86-510-82707022

2 . COMPOSITION / INFORMATION ON INGREDIENTS

Use: Ceramics stone for barrel finishing

Ingredient :

Chemical Name	CAS No	Percent
Aluminum oxide	1344-28-1	38.14
Silicon dioxide	7631-86-9	54.44
Ferric oxide	1309-37-1	0.98
Titanium dioxide	13463-67-7	0.72
Potassium oxide	12136-45-7	2.64

3 . HAZARDS IDENTIFICATION

Nothing in particular

4 . FIRST-AID MEASURES

Skin contact : Flush skin with plenty of water.

Eye contact : Immediately flush eyes with plenty of water for at least 15minutes. Lifting upper and lower eyelids occasionally. Get medical attention if irritation persists.

Ingestion : Induce vomiting (if possible), and get medical advice.

Inhalation : Remove from exposure to fresh air immediately.

CRF CHINA NATIONAL SILK I/E WUXI CORP.,LTD.. CS1008 (2)

In all case, if necessary, receive medical attention.

Advice for the protection of first-aiders : Nothing in particular.

Special notes to a physician: Nothing is specially

5 . FIRE-FIGHTING MEASURES

Fire : Not considered to be a fire hazard.

Fire extinguishing media : Use any means suitable for extinguishing surrounding fire.

Protection of firefighters : Use protective clothing and breathing equipment appropriate for the surrounding fire.

6 . ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear appropriate personal protective equipment as specified in Section 8.

Spills : Sweep, scoop, or pick up and containerize for reclamation or disposal.

7 . HANDLING AND STORAGE

Handling: Wash thoroughly after handling .Avoid contact with eyes, skin, and clothing.
Avoid ingestion and inhalation.

Storage: Store in a cool, dry place. Keep container closed when not in use. Protect against physical damage.

8 . EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation System : Installation of the local exhaust device is desirable.

Personal Respirators : Wear dust respirator.

Skin Protection : Not expected to require skin protection.

Eye Protection : Wear goggles.

9 . PHYSICAL AND CHEMICAL PROPERTIES

CRF CHINA NATIONAL SILK I/E WUXI CORP.,LTD.. CS1008 (3)

Physical State

Color : Blue gray

Odor : Odorless

Melting Point : ca 1350°C

Solubility : Insoluble in water.

Density : 2.7g/cm³

1 0 . STABILITY AND REACTIVITY

Stability : Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products : Will not occur under ordinary conditions of use and storage.

Hazardous Polymerization : Will not occur.

1 1 . TOXICOLOGICAL INFORMATION

Local effects:

Skin contact: Will not occur.

Eye contact: No information found.

Inhalation: No information found.

Sensitization: No information found

Long term toxicity: No information found

Special Note: Nothing is specially

1 2 . ECOLOGICAL INFORMATION

Mobility : No information found

Persistence / Degradability : No information found

CRF CHINA NATIONAL SILK I/E WUXI CORP.,LTD.. CS1008 (4)

1 3 . DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable federal, state, and local environmental regulations.

1 4 . TRANSPORT INFORMATION

No information available.

1 5 . REGULATORY INFORMATION

No information available.

1 6 . OTHER INFORMATION

Bibliography

(1) MSDS of material manufacturer supply.

(2) 13901 chemical merchandises 化学工業日報社(kagakukougounipposha)

(3) The danger and the maleficence handbooks of the chemical substance:

Ministry of Labor safety hygiene part editors in chief Edited by the central industrial accident

prevention association