

LB	100 P
----	-------

Product code: 10000sp1

Page 1 of 6

1. Identification

Product identifier

LB 100 P

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Parting agent.

Details of the supplier of the safety data sheet

Company name:	Intercon Enterprises Inc.	
Street:	6901 72 Street Unit 216	
Place:	CDN Delta BC V4G 0A2	
Telephone:	604 946-6066	Telefax: 604 946-5340
e-mail:	sales@intercon1978.com	
Internet:	www.intercon1978.com	
Responsible Department:	Manufacturer:	
	Jokisch GmbH, Germany	
	Industriestraße 5, D-33813 Oerlinghausen	
	Phone: +49.5202.9734-0	
	Fax: +49.5202.9734-49	
Emergency phone number:	Giftnotruf Berlin: +49 (0) 30 / 30 686 790	

2. Hazard(s) identification

Classification of the chemical

Regulation (EC) No. 1272/2008

Flammable aerosols: Aerosol 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Keep out of reach of children.

Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Hazard statements

Pressurised container: may burst if heated Harmful to aquatic life with long lasting effects

Precautionary statements

Avoid release to the environment. Dispose of contents/container to .

Special labelling of certain mixtures

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

<u>Mixtures</u>

4. First-aid measures



LB 100 P

Revision date: 25.07.2019

Product code: 10000sp1

Page 2 of 6

Description of first aid measures

After inhalation

Provide fresh air. Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

If swallowed, immediately drink: Water. Move victim to fresh air. Put victim at rest and keep warm. In case of respiratory tract irritation, consult a physician.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

Specific hazards arising from the chemical

Heating causes rise in pressure with risk of bursting.

Special protective equipment and precautions for fire-fighters

No special measures are necessary.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin. Avoid contact with eyes. The following must be prevented: Inhalation

Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Suitable material for taking up: Sand, Universal binding agent. Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

Reference to other sections

See section 8.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

When using do not eat, drink or smoke.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Handle and open container with care.



LB 100 P

Revision date: 25.07.2019

Product code: 10000sp1

Page 3 of 6

Advice on protection against fire and explosion

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Further information on handling

High slip hazard because of leaking or spilled product.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 5-40 °C Do not store at temperatures over: 50 °C Maximum period of storage (time): 2

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

te regulations relating to storage premises apply to workshops where the product is hanled.

8. Exposure controls/personal protection

Control parameters

Exposure controls

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. @1501.B015713 Use personal protection equipment as per Directive 89/686/EEC.

Eye/face protection

Eye protection: not required.

Hand protection

Protect skin by using skin protective cream.

Wear protective gloves if advisable under safety aspects.

Wash hands before breaks and after work.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

Skin protection

Take off immediately all contaminated clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	liquid
Color:	red
Odor:	characteristic

pH-Value:

Changes in the physical state

Melting point/freezing point: Initial boiling point and boiling range: not determined

Test method

not determined 100 °C



LB 100 P	
----------	--

Product code: 10000sp1

Page 4 of 6

Explosive properties

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Danger of bursting container. In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Vanor pressure: 5000-8000 hPa

(at 20 °C)	5000-6000 IIFa
Density (at 20 °C):	1,0 g/cm³
Viscosity / kinematic: (at 20 °C)	not determined ASTM D 445
Solvent content:	0%
Other information	

No information available.

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

@1001.B010008

Conditions to avoid

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Danger of bursting container.

Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

Hazardous decomposition products

Hazardous decomposition products: none/none

11. Toxicological information

Information on toxicological effects

Irritation and corrosivity

Irritant effect on the skin: mild irritant. Irritant effect on the eye: mild irritant.

Sensitizing effects

none/none

Carcinogenicity (OSHA):	No ingredient of this mixture is listed.
Carcinogenicity (IARC):	Triethanolamine (CAS 102-71-6) is listed in group 3.
Carcinogenicity (NTP):	No ingredient of this mixture is listed.

Additional information on tests

No risks worthy of mention. Practical experience. The statement is derived from the properties of the single components. The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

12. Ecological information

Ecotoxicity

According to the present state of knowledge negative ecological effects are not expected.



LB 100 P

Product code: 10000sp1

Page 5 of 6

Persistence and degradability

Product is biodegradable.

Mobility in soil

in delivery condition: liquid

Other adverse effects

Avoid release to the environment. According to the present state of knowledge negative ecological effects are not expected.

13. Disposal considerations

Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Completely emptied packings can be re-cycled. Dispose of waste according to applicable legislation.

Contaminated packaging

Water (with cleaning agent).

14. Transport information

Marine transport (IMDG)

<u>UN number:</u>	UN 1950
UN proper shipping name:	AEROSOLS
Transport hazard class(es):	2
Packing group:	-
Hazard label:	2, see SP63

Limited quantity:	See SP277
EmS:	F-D, S-U

Other applicable information (marine transport) Special provisions: 63, 190, 277, 327, 959 E0

Air transport (ICAO-TI/IATA-DGR)

<u>UN number:</u>	UN 1950
UN proper shipping name:	AEROSOLS, non-flammable
Transport hazard class(es):	2.2
Packing group:	-
Hazard label:	2.2
Special Provisions:	A98 A145 A167 A802
Limited quantity Passenger:	30 kg G
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	203 75 kg 203 150 kg



LB	100 F	2
----	-------	---

Product code: 10000sp1

Page 6 of 6

Other applicable information (air transport)

E0

: Y203

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

Special precautions for user

Personal protection equipment (PPE): see section 8

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information

U.S. Regulations

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Changes

Revision date:	25.07.2019	
Revision No:	1,01	
This data sheet contains changes from the previous version in section(s): 1.		
Classification for mixtures and used evaluation method according to GHS		
Classification		

	Classification	Classification procedure
	Aerosol 3; H229	
	Aquatic Chronic 3; H412	Calculation method
Relevant H statements (full text)H229Pressurised container: may burst if heated		
		irised container: may burst if heated

H412 Harmful to aquatic life with long lasting effects

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)