#### Prepared according to Global Harmonized System (GHS) standards

**SECTION 1** 

#### CHEMICAL PRODUCT IDENTIFICATION

Mass Finishing, Inc. 1060 Commerce Boulevard Howard Lake, MN 55349 Tel: 320-543-3222

Product Trade Name:

# **MASS FINISHING RP-100 RUST PREVENTATIVE**

CAS Number: Synonyms/Other: Recommended Use: Restrictions on Use: Created Date: Preparation/Revision Date: Emergency Phone Number: SDS CODE: Mixture N/A Corrosion Inhibitor Not determined. 4/24/2015 4/24/2015 1-800-424-9300 (CHEMTREC) 12714

### **SECTION 2**

### HAZARD IDENTIFICATION

Appearance: Odor: Classification:	Blue liquid. Mild odor. Skin corrosion / irritation category 3
Classification.	Eye damage / irritation category 2
Target Organs: Pictogram(s):	Skin, Eyes
Signal Word:	WARNING
Hazard Statement:	H316 - Causes mild skin irritation H319 - Causes serious eye irritation
Other Hazards:	Not determined.
Prevention:	P264 - Wash hands thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection
Response:	<ul> <li>P304+P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses if present and easy to do – continue rinsing</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention</li> <li>P337+P313 - If eye irritation persists get medical advice/attention</li> </ul>
Storage Procedures:	None required.
Disposal:	None required.
Other:	See section 11 for complete health hazard information.

#### **SECTION 3**

### COMPOSITION OF INGREDIENTS

Component	CAS Number	Percentage (by weight)
Dodecanedioic Acid, Compounds with Ethanolamine	84145-60-8	3-10%
Tris(2-hydroxyethyl)amine	102-71-6	3-10%

The balance of components do not contribute to the overall classification of the fluid, according to the GHS Standard.

SECTION 4	FIRST AID MEASURES
Eye Contact:	Avoid direct contact. Wear chemical protective gloves, if necessary. Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice or attention.
Skin Contact:	Avoid direct contact. Wear chemical protective clothing, if necessary. Wash skin with lukewarm, gently flowing water and mild soap until product is removed. Call a doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation:	Get medical advice or attention if you feel unwell or are concerned.
Ingestion:	If you feel unwell or concerned: Get medical advice/attention. Rinse mouth. Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position.
Other:	No additional information

SECTION 5	FIRE FIGHTING MEASURES
Flash Point:	Not applicable.
Flammable limits:	Not applicable.
Extinguishing media:	Not applicable.
Special firefighting procedures	: General directions - product will not burn without driving water from material first. Evacuate area and fight fire from a safe distance. If leak or spill has not ignited, ventilate area and use water spray to disperse gas or vapor and to protect personnel attempting to stop a leak. Use water spray to cool adjacent structures and to protect personnel. Shut off source of flow if possible (safely). Stay away from storage tank ends. Withdraw immediately in case of rising sound from venting safety device or any discoloration of storage tank due to fire. Fire fighters must wear MSHA/NIOSH approved positive pressure breathing apparatus (SCBA) with full face mask and full protective equipment.
Unusual fire & explosion hazards:	High temperatures may create heavy flammable vapors that may settle along ground level and low spots to create an invisible fire hazard.
Byproducts of combustion:	Fires involving this product may release oxides of carbon, nitrogen and sulfur; reactive hydrocarbons and irritating vapors.
Autoignition temperature:	Not determined.
Explosion data:	Not determined. Care should always be exercised in dust/mist areas.
Other:	Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6	ACCIDENTAL RELEASE MEASURES
Spill control procedures (land):	Immediately turn off or isolate any source of ignition (pilot lights, electrical equipment, flames, heaters, etc.). Evacuate area and ventilate. Personnel wearing proper protective equipment should contain spill immediately with inert materials (sand, earth, chemical spill pads of cotton) by forming dikes. Dikes should be placed to contain spill in a manner that will prevent material from entering sewers and waterways. Large spill, once contained, may be picked up using explosion proof, non-sparking vacuum pumps, shovels, or buckets, and disposed of in suitable containers for disposal. Clean up residue with water. If a large spill occurs notify appropriate authorities. In case of road spill or accident contact Chem-Trec (800-424-9300).
Spill control procedures (water): Waste disposal method:	If a large spill occurs notify appropriate authorities (normally the National Response Center or Coast Guard at 800-424-8802). Do not empty into drains. All disposals must comply with federal, state, and local regulations. The material, if spilled or discarded may be a regulated waste. Refer to state and local regulations. Department of Transportation (DOT) regulations may apply for transporting this material when spilled. See Section 14.

Other: CAUTION - If spilled material is cleaned up using a regulated solvent, the resulting waste mixture will be regulated.

SECTION 7	HANDLING AND STORAGE
Handling procedures:	Keep containers closed when not in use. Do not transfer to unmarked containers. Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld, or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse. Handling temperatures should not exceed 60°C (140°F) to min imize danger of burns. Open containers carefully in a well ventilated area or use appropriate respiratory protection. Wash thoroughly after handling.
Storage procedures:	Store containers away from heat, sparks, open flame, or oxidizing materials. Extended storage at excessive temperatures may produce odorous and toxic fumes from product decomposition.
Additional information:	No additional information.

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure limits/standards for materials that can be formed when handling this product:

Components	CAS Number	OSHA PEL	ACGIH TLV
Dodecanedioic Acid, Compounds with	84145-60-8	-	-
Tris(2-hydroxyethyl)amine	102-71-6	-	5 mg/m³
2-Aminoethanol	141-43-5	3 ppm	3 ppm

NOTE: Limits/standards shown for guidance only. Follow applicable regulations.

No biological limits allocated.

Personal protection:	Applicable mainly to persons in repeated contact situations such as packaging of product, service/maintenance, and cleanup/spill control personnel.
Respiratory protection:	None required if ventilation is adequate. Otherwise a respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed. Where misting may occur, wear an MSHA/NIOSH approved (or equivalent) half-mask form dust/mist air purifying respirator.
Eye protection:	Eye protection is strongly recommended. Wear safety glasses with side shields or vented/splash proof goggles (ANSI Z87.1 or approved equivalent).
Hand protection:	Impervious, chemically resistant gloves such as neoprene or nitrile rubber to avoid skin sensitization and absorption.
Other protection:	Use of an apron and overboots of chemically impervious materials such as neoprene or nitrile rubber is recommended based on level of activity and exposure. If handling hot material use insulated protective equipment. Launder soiled clothes. Properly dispose of contaminated leather articles and other materials which cannot be decontaminated.
Local control measures:	Use adequate ventilation when working with material in an enclosed area. Mechanical methods such as fume hoods or area fans may be used to reduce localized vapor/mist areas. If vapor or mist is generated when the material handled, adequate ventilation in accordance with good engineering practice must be provided to maintain concentrations below the specified exposure. Eyewash stations and showers should be available in
Other:	areas where this material is used and stored. Consumption of food and drink should be avoided in work areas where product is present. Always wash hands and face with soap and water before eating, drinking or smoking.

# **SECTION 9**

### PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Blue liquid.
Odor:	Mild odor.
Odor threshold:	Not determined.
pH:	9.0 - 10.0.
Melting/Freezing point:	Not determined.
Initial boiling point:	Not determined.
Boiling range:	>212 °F.
Flash point:	Not applicable.
Evaporation rate:	Not determined.
Flammability:	Non-flammable
Upper flammable limit:	Non-flammable
Lower flammable limit:	Non-flammable
Vapor pressure:	Not determined.
Vapor density:	Not determined.
Relative density:	Not determined.
Solubility:	Miscible in water, negligible in most petroleum solvents.
Partition Coefficient:	Not determined.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Viscosity:	Not determined.
Other	Not applicable.

### **SECTION 10**

### **STABILITY AND REACTIVITY**

Reactivity	
Chemical stability:	Material is chemically stable at room temperatures and pressure.
Hazardous polymerization:	Will not occur.
Conditions to avoid:	Avoid high temperatures and product contamination.
Incompatibility with other	Avoid contact with acids and strong oxidizing materials.
materials:	
Decomposition products:	Smoke, carbon monoxide, carbon dioxide, and other aldehydes of incomplete combustion. Oxides of carbon, nitrogen, and sulfur; reactive hydrocarbons and irritating vapors.
Other:	Not applicable.

# **SECTION 11**

# TOXICOLOGICAL INFORMATION

Acute toxicity (LD50) *See note at the bottom of the section		
Oral:	>5000 mg/kg	
Dermal:	>5000 mg/kg	
Inhalation:	>20.0 mg/l	
Skin irritation:	Causes mild skin irritation	
Eye irritation:	Causes serious eye irritation	
Dermal sensitization:	Not expected to have a sensitizing effect.	
Respiratory sensitization:	Not expected to have a sensitizing effect.	
Aspiration Hazard:	Not applicable	
Chronic Toxicity		
Mutagenicity:	Not suspected of causing genetic defects	
Carcinogenicity:	Not suspected of causing cancer.	
Reproductive toxicity:	Not expected to have adverse effects on reproduction.	

STOT-single exposure: STOT-repeated exposure: Other:

**SECTION 12** 

Not expected to have adverse effects.

Not expected to have long term adverse effects.

\*All data in this section is based off calculations from Part 3 of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) utilizing information from the constituent components.

### ECOLOGICAL INFORMATION

Environmental toxicity	
Fish:	> 100 mg/l.
Invertebrates:	> 100 mg/l.
Aquatic plants:	> 100 mg/l.
Microorganism:	> 100 mg/l.
Persistence/Degradability:	This product is expected to be readily biodegradable.
Bioaccumulation:	Not determined.
Mobility in soil:	Not determined.
Other:	All classifications are based on calculations in Part 4 of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) utilizing information from the constituent components.

SECTION 13	DISPOSAL CONSIDERATIONS
Waste disposal:	This product unadulterated by other materials can be classified as a non-hazardous waste. Depending on use, used product may be regulated. Dispose of in a licensed facility. Do not discharge product in to sewer system. Dispose of containers by crushing or puncturing, so as to prevent unauthorized use of used containers. Waste management should be in full compliance with federal, state, and local laws.
Other	The transportation, storage, treatment and disposal of RCRA waste material must be conducted in compliance with 40 CFR 262, 263, 264, 268 and 270. Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate.

### TRANSPORT INFORMATION

Not regulated for land transport Land Transport (DOT): **Proper Shipping Name:** Not applicable. Land Transport (TDG): Not regulated for land transport **Proper Shipping Name:** Not applicable. Sea Transport (IMDG): Not regulated for sea transport Not applicable. **Proper Shipping Name:** Air Transport (IATA): Not regulated for air transport **Proper Shipping Name:** Not applicable. Other: Not applicable.

### **SECTION 15**

**SECTION 14** 

### **REGULATORY INFORMATION**

Federal Regulation		
Clean water act/oil:	No components of this product are listed.	
TSCA:	All components of this material are listed in the U.S. TSCA Inventory.	
Other TSCA:	Not applicable.	
SARA title III:	Section 302/304 extremely hazardous substances:	
	None.	

	Section 311, 312 hazard ca	tegorization:				
	Acute (immediate	health effects):	YES			
	Chronic (delayed h	nealth effects):	NO			
	Fire (hazard):		NO			
	Reactivity (hazard)	):	NO			
	Pressure (sudden	release hazard):	NO			
	Section 313 toxic chemicals	8:				
	No components present are at or greater than the de minimis (minimum reportable) concentration requirements for reporting.					
CERCLA:	For stationary/moving sources – reportable quantity (due to):					
	Not regulated.					
State Regulations						
Right-to-know	Not determined.					
Other:	A release of this product, as supplied, is exempt from reporting under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA). However, releases may be reportable to the Nation Response Center under the Clean Water Act, 33 U.S.C. 1321(b)(3) and (5) - see head of Section 15. Failure to report may result in substantial civil and criminal penalties.					
	Recommend contacting the local authorities in the event of any type of spill to determine local reporting requirements and also to aid in the cleanup.					
SECTION 16	OTHER	INFORMATION				
			VEV			
HEALTH:	<b>NFPA 704</b> 2	NPCA-HMIS 2	<b>KEY</b> 0 = Minimal			
TEALIT.	۷.	2	$0 = \mathbf{W} \mathbf{H} \mathbf{H} \mathbf{H} \mathbf{H}$			

HEALTH:	2	2	0 = Minimal
FIRE:	0	0	1 = Slight
REACTIVITY:	0	0	2 = Moderate
SPECIFIC HAZARD:	None	N/A	3 = Serious
PROTECTION INDEX:	N/A	В	4 = Severe

Version:

INFORMATION PROVIDED IN THIS SDS IS CONSIDERED ACCURATE AND RELIABLE BASED ON INFORMATION ISSUED FROM INTERNAL AND OUTSIDE SOURCES TO THE BEST OF THE AUTHORS' KNOWLEDGE. HOWEVER, THE AUTHOR'S MAKE NO REPRESENTATIONS, GUARANTEES OR WARRANTIES, EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, REGARDING THE ACCURACY OF SUCH INFORMATION OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF, OR AS TO THE SUFFICIENCY OF THE INFORMATION HEREIN PRESENTED. THE AUTHORS ASSUME NO RESPONSIBILITY FOR INJURY TO RECIPIENT OR TO THIRD PERSONS OR FOR ANY DAMAGE TO ANY PROPERTY AND RECIPIENT ASSUMES ALL SUCH RISKS.

Revisions / Comments: N

None.