

## SAFETY DATA SHEET VF-Z1 Plastic Media

1.	PRODUCT AND CO	OMPANY IDENTIFICATION					
Product Code:	VFZ1						
Product Name:	VF-Z1 Plastic Media						
Company Name:	Vibra Finish Co.	Phone Number:					
	8411 Seward Road	+1 (800)253-1941					
	Hamilton, OH 45011						
Web site address:	www.vibrafinish.com						
Emergency Contact:	Chemtrec	+1 (800)424-9300					
Product Category:	Filled polymer						
2. HAZARDS IDENTIFICATION							
GHS Signal Word:	None						
GHS Hazard Phrases:	No phrases apply.						
GHS Precaution Phrases:	No phrases apply.						
GHS Response Phrases:	No phrases apply.						
GHS Storage and Disposal	No phrases apply.						
Phrases:							
Potential Health Effects	No hazard expected in normal industrial use. This material, as supplied, is significantly						
(Acute and Chronic):	larger than 3-4 um and does not pose as respiration hazard unless the material is used in						
	a manner that generates	a dust. This material should not be used dry.					
Inhalation: This product shoul		ould not be used dry. Airborne concentrations of dusts or mists may					
	cause irritation to the upp	er respiratory tract and lungs. Respirable crystalline silica is an					
	IARC and NTP probable of	carcinogen based on animal studies.					
Skin Contact:	Handling this material with bare hands can cause abrasions.						
Eye Contact:	It is possible for small fragments of this material or the work piece to be propelled from						
	the work area and strike t	he eye.					
Ingestion:	Not a likely route of exposure. May be harmful if swallowed.						
Additional Hazards	This product, as supplied, is not classified as hazardous under OSHA. This product						
Information	should not be used dry.						
3. COMPOSITION/INFORMATION ON INGREDIENTS							
CAS # Hazardous Com	ponents (Chemical Name)	Concentration					
14940-68-2 Zircon		50 - 60 %					
Additional Composition	This product composition information is provided in the unlikely event that a dust is						
Information:	generated during the use	of this product. In the material as supplied, these components					
	are not readily available to	create a respiration hazard.					



4. FIRST AID MEASURES				
Emergency and First Aid Procedures:	None that are directly attributable to normal use of this material.			
In Case of Inhalation:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.			
In Case of Skin Contact:	Wash off with soap and plenty of water. Get medical aid if irritation develops and persists			
In Case of Eye Contact:	Flush eyes with water as a precaution. If eye irritation persists, get medical advice/attention.			
In Case of Ingestion:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.			
Signs and Symptoms Of Exposure:	The chronic health risks are associated with respirable particles of 3-4 um over protracted periods of time. This material, as supplied, is significantly larger than 3-4 um and does not pose as respiration hazard unless the material is used in a manner that generates a dust. This material should not be used dry.			
Note to Physician:	Treat symptomatically and supportively. Show this safety data sheet to the doctor in attendance.			
	5. FIRE FIGHTING MEASURES			
Flash Pt:	NA Method Used: Not Applicable			
Explosive Limits:	LEL: No data. UEL: No data.			
Autoignition Pt:	NA			
Suitable Extinguishing Media	: Use water spray, dry chemical, carbon dioxide, or appropriate foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH approved (or equivalent), and full protective gear.			
Flammable Properties and Hazards:	This material may burn when exposed to a fire situation. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.			
Hazardous Combustion Products:	Fire conditions can result in the formation of carbon monoxide and carbon dioxide.			
	6. ACCIDENTAL RELEASE MEASURES			
Protective Precautions, Protective Equipment and Emergency Procedures:	Use proper personal protective equipment as indicated in Section 8.			
Environmental Precautions:	Do not let product enter storm drains, storm sewers, watersheds or water systems unless authorized.			
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Avoid dust formation. Avoid breathing dust. Collect for reuse or disposal if contaminated with foreign matter.			
	7. HANDLING AND STORAGE			
Precautions To Be Taken in Handling:	Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Do not ingest or inhale. Provide appropriate exhaust ventilation at places where dust is formed. This product should not be used dry. Material is heavy, use proper lifting techniques.			
Precautions To Be Taken in Storing:	Store in a dry place. Store in well-ventilated place.			
Other Precautions:	Keep out of reach of children. Handle in accordance with good industrial hygiene and safety practices.			



	8. EXP	<b>OSURE CONTR</b>	OLS/PER	SONA	- PROTECTION		
CAS #	Partial Chemical	Name OS	SHA TWA		ACGIH TWA	Other Limits	
14940-68-2	Zircon	ТМ	VA: 5 mg/m3		TLV: 10 (nuisance dust) mg/m3	No data.	
Respiratory (Specify Typ	• •	Use a NIOSH/MSHA approved respirator where dust may be generated.					
Eye Protection	on:	Safety glasses.					
Protective G	loves:	Handle with gloves.					
Other Protec	tive Clothing:	Not required under normal use conditions.					
Engineering (Ventilation e					. Facilities storing		
Work/Hygien Practices:	ic/Maintenance	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
	9.	PHYSICAL AND	CHEMIC	AL PR	OPERTIES		
Physical Sta	tes:	[]Gas []Liquid	[X] Solid				
Appearance	and Odor:	Appearance: Tan. Solid. Varying size and shape. Odor: Slight characteristic.					
pH:		NA					
Melting Poin	t:	NA					
<b>Boiling Point</b>	t:	NA					
Flash Pt:		NA Method Used: N	Not Applicable				
Evaporation	poration Rate: NA						
Flammability	nability (solid, gas): No data available.						
Explosive Li	mits:	LEL: No data.		UEL: No	data.		
Vapor Press mm Hg):	ure (vs. Air or	NA					
•	ty (vs. Air = 1):	NA					
-	vity (Water = 1):	NA					
Density:		NA					
Bulk density		75 - 80 LB/CF					
Solubility in		Negligible					
Saturated Va	•	NA					
Concentration Octanol/Wate Coefficient:		No data.					
Autoignition	Pt·	NA					
•	on Temperature:						
Viscosity:		NA					
viscosity.		1 1/3					



	10. STABILITY AND REACTIVITY				
Reactivity:	Not reactive at normal temperatures and pressures.				
Stability:	Unstable [ ] Stable [ X ]				
Conditions To Avoid - Instability:	None known.				
Incompatibility - Materials To Avoid:	None known.				
Hazardous Decomposition or Byproducts:	${f r}$ Fire conditions can result in the formation of carbon monoxide and carbon dioxide.				
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]				
Conditions To Avoid - Hazardous Reactions:	No data available.				
	11. TOXICOLOGICAL INFORMATION				
Toxicological Information:	Epidemiology: No information available. Teratogenicity: No information available. Reproductive Effects: No information available. Mutagenicity: No information available. Neurotoxicity: No information available.				
Irritation or Corrosion:	This product should not be used dry. Airborne concentrations of dusts or mists may cause irritation to the upper respiratory tract and lungs. Airborne concentrations of dusts or mists may cause irritation to the eyes.				
Symptoms related to Toxicological Characteristics	Handling this material with bare hands can cause abrasions. It is possible for small fragments of this material or the work piece to be propelled from the work area and strike the eye.				
Chronic Toxicological Effects:	The chronic health risks are associated with respirable particles of 3-4 um over protracted periods of time. This material, as supplied, is significantly larger than 3-4 um and does not pose as respiration hazard unless the material is used in a manner that generates a dust. This material should not be used dry.				
Carcinogenicity/Other Information:	OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Respirable crystalline silica is an IARC and NTP probable carcinogen based on animal studies.				
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No				
	12. ECOLOGICAL INFORMATION				
General Ecological	Environmental: No information available.				
Information:	Physical: No information available.				
Results of PBT and vPvB assessment:	No data available.				
Persistence and Degradability:	No data available.				
Bioaccumulative Potential:	No data available.				
Mobility in Soil:	No data available.				



Waste Disposal Method:


## SAFETY DATA SHEET VF-Z1 Plastic Media

Chemical waste generators must determine whether a discarded chemical is classified as

**13. DISPOSAL CONSIDERATIONS** 

## a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations. **14. TRANSPORT INFORMATION** LAND TRANSPORT (US DOT): DOT Proper Shipping Name: Not regulated as a hazardous material. **DOT Hazard Class: UN/NA Number: 15. REGULATORY INFORMATION** EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 313 (TRI) S. 304 RQ 14940-68-2 Zircon No No No Other US EPA or State Lists CAS # Hazardous Components (Chemical Name) TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: 14940-68-2 Zircon

No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No



Additional Information: **Company Policy or** Disclaimer:

## 09/17/2017 Updated sections 2, 5, 10, 11

Vibra Finish company cannot anticipate all conditions which this information and our products, or the products of other manufacturers in combination with our products may be used. We accept no responsibility for results obtained by the application of this information, either alone or in combination with other products. Users are advised to make their own tests to determine the safety and suitability of each such product or product combination for their own purposes. Unless otherwise agreed in writing, buyers and users assume all responsibility and liability for loss or damage arising from the handling and use of our products, whether alone or in combination with other products.